Molecular and Cellular Biochemistry **242:** 189–191, 2003.

Index to Volume 242

Armstrong SC, Latham CA and Ganote CE: An ischemic β-dystroglycan (βDG) degradation product: Correlation with irreversible injury in adult rabbit cardiomyocytes 71–79

Baetz D, Bernard M, Pinet C, Tamareille S, Chattou S, El Banani H, Coulombe A and Feuvray D: Different pathways for sodium entry in cardiac cells during ischemia and early reperfusion 115–120
Bauer EP, *see* Kostin S *et al*
Bayer AL, Heidkamp MC, Patel N, Porter M, Engman S and Samarel AM: Alterations in protein kinase C isozyme expression and autophosphorylation during the progression of pressure overload-induced left ventricular hypertrophy 145–152
Bernard M, *see* Baetz D *et al*
Bode C, *see* Vogt AM *et al*
Bouchard B, *see* Vincent G *et al*
Boyett MR, *see* Khatib SY
Briest W, *see* Deten A *et al*

Carageorgiou H, *see* Pantos C *et al*
Cattini PA, *see* Sontag DP *et al*
Chattou S, *see* Baetz D *et al*
Cokkinos DD, *see* Pantos C *et al*
Cokkinos DV, *see* Pantos C *et al*
Coppen SR, Kaba RA, Halliday D, Dupont E, Skepper JN, Elneil S and Severs NJ: Comparison of connexin expression patterns in the developing mouse heart and human foetal heart 121–127
Coulombe A, *see* Baetz D *et al*

Dammer S, *see* Kostin S *et al*
Dang X, Doble BW and Kardami E: The carboxy-tail of connexin-43 localizes to the nucleus and inhibits cell growth 35–38
Deaton RA, *see* Ellis JJ *et al*
Des Rosiers C, *see* Vincent G *et al*
Deten A, Volz HC, Briest W and Zimmer H-G: Differential cytokine expression in myocytes and non-myocytes after myocardial infarction in rats 47–55
Doble BW, *see* Dang X *et al*
Dupont E, *see* Coppen SR *et al*

El Banani H, *see* Baetz D *et al*
Ellis JJ, Valencia TG, Zeng H, Roberts LD, Deaton RA and Grant SR: CaM kinase IIδC phosphorylation of 14-3-3β in vascular smooth muscle cells: Activation of class II HDAC repression 153–161
Elneil S, *see* Coppen SR *et al*
Elsässer A, *see* Vogt AM *et al*
Engman S, *see* Bayer AL *et al*

Fan QI, Vanderpool KM, O'Connor J and Marsh JD: Decoy calcium channel beta subunits modulate contractile function in myocytes 3–10
Fandrich RR, *see* Jeyaraman M *et al*
Feuvray D, *see* Baetz D *et al*

Ganote CE, *see* Armstrong SC *et al*
Garlid KD, *see* Tian J *et al*
Grant SR, *see* Ellis JJ *et al*

Halliday D, *see* Coppen SR *et al*
Hayashi H, *see* Satoh H *et al*
Hehlgans S, *see* Kubin T *et al*

Heidkamp MC, *see* Bayer AL *et al*
Heil M, *see* Kubin T *et al*
Hein S, *see* Kostin S *et al*
Hein S, *see* Kubin T *et al*
Herold J, *see* Kubin T *et al*
Hoepf TM, *see* Radin MJ *et al*
Hoit BD, *see* Sato Y *et al*
Holycross BJ, *see* Radin MJ *et al*

Jeyaraman M, Tanguy S, Fandrich RR, Lukas A and Kardami E: Ischemia-induced dephosphorylation of cardiomyocyte connexin-43 is reduced by okadaic acid and calyculin A but not fostriecin 129–134

Kaba RA, *see* Coppen SR *et al*
Kampmann A, *see* Kubin T *et al*
Karamanoli E, *see* Pantos C *et al*
Kardami E: Preface 1
Kardami E, *see* Dang X *et al*
Kardami E, *see* Jeyaraman M *et al*
Katoh H, *see* Satoh H *et al*
Khairallah M, *see* Vincent G *et al*
Khatib SY and Boyett MR: Effects of glyburide (glibenclamide) on myocardial function in Langendorff perfused rabbit heart and on myocardial contractility and slow calcium current in guinea-pig single myocytes 81–87
Kiriazis H, *see* Sato Y *et al*
Klövekorn W-P, *see* Kostin S *et al*
Kostin S, Rieger M, Dammer S, Hein S, Richter M, Klövekorn W-P, Bauer EP and Schaper J: Gap junction remodeling and altered connexin43 expression in the failing human heart 135–144
Kranias EG, *see* Sato Y *et al*
Kubin T, Vogel S, Wetzel J, Hein S, Pipp F, Herold J, Heil M, Kampmann A, Hehlgans S, von der Ahe D, Schaper W and Zimmermann R: Porcine aortic endothelial cells show little effects on smooth muscle cells but are potent stimulators of cardiomyocyte growth 39–45
Kübler W, *see* Vogt AM *et al*

Latham CA, *see* Armstrong SC *et al*
Lazou A, *see* Markou T *et al*
Liu J, *see* Tian J *et al*
Lukas A, *see* Jeyaraman M *et al*

Malliopoulou V, *see* Pantos C *et al*
Markou T, Vassort G and Lazou A: Regulation of MAPK pathways in response to purinergic stimulation of adult rat cardiac myocytes 163–171
Marks A, *see* Tsoporis JN *et al*
Marsh JD, *see* Fan QI *et al*
McCune SA, *see* Radin MJ *et al*
McMahon C, *see* Tsoporis JN *et al*
Mickel DAG, *see* Yokomuro H *et al*
Moraitis P, *see* Pantos C *et al*
Mourouzis I, *see* Pantos C *et al*
Mukai M, *see* Satoh H *et al*

Nef H, *see* Vogt AM *et al*

O'Connor J, *see* Fan QI *et al*

Paizis I, *see* Pantos C *et al*
Pantos C, Malliopoulou V, Paizis I, Moraitis P, Mourouzis I, Tzeis S, Karamanoli E, Cokkinos DD, Carageorgiou H, Varonos D and Cokkinos DV: Thyroid hormone and cardioprotection: Study of p38 MAPK and JNKs during ischaemia and at reperfusion in isolated rat heart 173–180
Parker TG, *see* Tsoporis JN *et al*
Patel N, *see* Bayer AL *et al*

Pinet C, *see* Baetz D *et al*
Pipp F, *see* Kubin T *et al*
Porter M, *see* Bayer A *et al*

Radin MJ, Holycross BJ, Hoepf TM and McCune SA: Increased salt sensitivity secondary to leptin resistance in SHHF rats is mediated by endothelin 57–63
Ren-Ke L, *see* Yokomuro H *et al*
Richter M, *see* Kostin S *et al*
Rieger M, *see* Kostin S *et al*
Roberts LD, *see* Ellis JJ *et al*

Samarel AM, *see* Bayer AL *et al*
Satoh H, Mukai M, Urushida T, Kato H, Terada H and Hayashi H: Importance of Ca^{2+} influx by Na^{+}/Ca^{2+} exchange under normal and sodium-loaded conditions in mammalian ventricles 11–17
Satoh Y, Schmidt AG, Kiriazis H, Hoit BD and Kranias EG: Compensated hypertrophy of cardiac ventricles in aged transgenic FVB/N mice overexpressing calsequestrin 19–25
Schaper J, *see* Kostin S *et al*
Schaper J, *see* Vogt AM *et al*
Schaper W, *see* Kubin T *et al*
Schmidt AG, *see* Sato Y *et al*
Severs NJ, *see* Coppen SR *et al*
Shapiro JI, *see* Tian J *et al*
Skepper JN, *see* Coppen SR *et al*
Sontag DP and Cattini PA: Cloning and bacterial expression of postnatal mouse heart FGF-16 65–70

Tamareille S, *see* Baetz D *et al*
Tanguy S, *see* Jeyaraman M *et al*
Terada H, *see* Satoh H *et al*
Tian J, Liu J, Garlid KD, Shapiro JI and Xie Z: Involvement of mitogen-activated protein kinases and reactive oxygen species in the inotropic action of ouabain on cardiac myocytes. A potential role for mitochondrial K_{ATP} channels 181–187
Tsoporis JN, Marks A, Zimmer DB, McMahon C and Parker TG: The myocardial protein S100A1 plays a role in the maintenance of normal gene expression in the adult heart 27–33
Tzeis S, *see* Pantos C *et al*

Urushida T, *see* Satoh H *et al*

Valencia TG, *see* Ellis JJ *et al*
Vanderpool KM, *see* Fan QI *et al*
Varonos D, *see* Pantos C *et al*
Vassort G, *see* Markou T *et al*
Vincent G, Khairallah M, Bouchard B and Des Rosiers C: Metabolic phenotyping of the diseased rat heart using ^{13}C-substrates and *ex vivo* perfusion in the working mode 89–99
Vogel S, *see* Kubin T *et al*
Vogt AM, Elsässer A, Nef H, Bode C, Kübler W and Schaper J: Increased glycolysis as protective adaptation of energy depleted, degenerating human hibernating myocardium 101–107
Voltz HC, *see* Deten A *et al*
Von der Ahe, *see* Kubin T *et al*

Weisel RD, *see* Yokomuro H *et al*
Wetzel J, *see* Kubin T *et al*

Xie Z, *see* Tian J *et al*

Yokomuro H, Mickle DAG, Weisel RD and Li R-K: Optimal conditions for heart cell cryopreservation for transplantation 109–114

Zeng H, *see* Ellis JJ *et al*
Zimmer DB, *see* Tsoporis JN *et al*
Zimmer HG, *see* Deten A *et al*
Zimmermann R, *see* Kubin T *et al*